

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S7	2	"time varying" with "key hash"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/06 09:41
S8	10	"time varying" with "hash"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:32
S9	5	S8 and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 11:38
S10	21	"key hash" with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:13
S11	7	S10 and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:12
S12	4439	"clock skew"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:15
S13	3329	S12 and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:12
S16	263	S13 and ("clock skew" with (comput\$3 or calculat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:16
S19	4	S13 and (("clock skew" with (comput\$3 or calculat\$3)) and (laptop or "wireless phone" or "cellular phone"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:18

EAST Search History

S20	1	S13 and (((("clock skew" with (comput\$3 or calculat\$3)) and (laptop or "wireless phone" or "cellular phone")) and (data adj (packet or black or stream or packet))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:22
S21	0	S13 and (((("clock skew" with (comput\$3 or calculat\$3)) and (laptop or "wireless phone" or "cellular phone")) and (data adj (packet or black or stream or packet)))) and (cryptography or encrypt\$3 or encipher\$3 or encrypt\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:24
S22	0	S13 and (((("clock skew" with (comput\$3 or calculat\$3)) and (laptop or "wireless phone" or "cellular phone")) and (data adj (packet or black or stream or packet)))) and (key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/08 16:24
S23	0	S13 and (((("clock skew" with (comput\$3 or calculat\$3)) and (laptop or "wireless phone" or "cellular phone")) and (data adj (packet or black or stream or packet)))) and (asymmetric))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:25
S24	1	"time varying item" and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:27
S25	0	"time-varying item" and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:27
S26	2	"time-varying item"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:27
S27	11	"time-varying" and 713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:48
S28	17	"time varying" and 713/168.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:50

EAST Search History

S29	12	"time varying" and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:53
S30	0	("time varying" with "key hash") and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:53
S31	0	("time varying" with "hash key") and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:53
S32	0	("time varying" with "hash") and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:53
S33	0	("time varying" with (key adj verification)) and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:55
S34	0	("time varying" same (key adj verification)) and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:55
S35	2	("time varying" and (key adj verification)) and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:56
S36	2	("time varying" and (key adj1 verification)) and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:56
S37	2	("time varying" and ("key verification")) and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 09:57
S39	4	(generat\$3 with ("key hash")) and 713/168.ccls. and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 10:03

EAST Search History

S40	0	("time varying" with "key verification") and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 10:04
S41	0	("time-varying" with "key verification") and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 10:04
S42	0	("time-varying" same "key verification") and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 10:04
S43	2	((("time-varying" and "key verification") and 713/168.ccls.) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 11:22
S44	1	(((((system or source) adj (time or clock)) with hash) and 713/168.ccls.) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 11:33
S45	18	(((((system or source) adj (time or clock)) with hash) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 11:51
S46	0	(((((system or source) adj (time or clock)) with hash) with compar\$5) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 11:51
S47	6	S45 and (hash with (compar\$5 or match))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 13:23
S49	54	(hash with (time or clock or "system time" or "system clock") with identifier) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 15:39
S50	0	(hash with ("system time" or "system clock" or "source time" or "source clock") with identifier) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 15:40

EAST Search History

S51	0	(hash with ("system time" or "system clock" or "source time" or "source clock") with identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 15:40
S52	18	(hash with ("system time" or "system clock" or "source time" or "source clock")) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 15:41
S53	4	(hash with ("system time" or "system clock" or "source time" or "source clock") with (identifier or identification or ID)) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:13
S54	4	((hash with ("system time" or "system clock" or "source time" or "source clock") with (identifier or identification or ID)) and compar\$5) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:14
S55	0	((hash with ("system time" or "system clock" or "source time" or "source clock") with (identifier or identification or ID)) with compar\$5) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:14
S56	0	((hash with ("system time" or "system clock" or "source time" or "source clock") with (identifier or identification or ID)) same compar\$5) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:15
S57	0	((hash with ("system time" or "system clock" or "source time" or "source clock") with ("serial number" or code or key)) same compar\$5) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:15
S58	0	((hash with ("system time" or "system clock" or "source time" or "source clock") with ("serial number" or code or key or "public key")) same compar\$5) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:16
S59	0	(hash with ("system time" or "system clock" or "source time" or "source clock") with ("serial number" or code or key or "public key") same compar\$5) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:16

EAST Search History

S60	0	(hash with ("system time" or "system clock" or "source time" or "source clock") with ("serial number" or code or key or "public key" or ID) same compar\$5) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:17
S61	0	(hash with ("system time" or "system clock" or "source time" or "source clock") with ("serial number" or code or key or "public key" or ID) same match\$3) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:17
S62	61	(hash with (time or clock) with ("serial number" or code or key or "public key" or ID or identifier) same compar\$3) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/09 17:18
S63	27	(hash with (time or clock) with ("serial number" or code or key or "public key" or ID or identifier) with compar\$3) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 09:15
S64	1	(hash with (phone) with ("serial number" or code or key or "public key" or ID or identifier) with compar\$3) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 09:16
S65	12	(hash with (phone) with ("serial number" or code or key or "public key" or ID or identifier)) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 09:24
S66	7	((("cellular phone" or "mobile phone") with hash\$4) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 09:29
S67	17	((("cellular phone" or "mobile phone") same hash\$4) and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 14:36
S68	10	((hash with identifier) with ((lookup or "look up") adj2 table))and @ad < "20010628"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:24

EAST Search History

S69	6	("5224160" "5530757" "5940513"). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/10 15:24
S70	1	("0644654").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 14:20
S71	5	(periodic\$3 or interval) near8 key near3 verif\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:34
S72	3	(recursiv\$3) near8 key near3 verif\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:44
S73	4	(iterat\$3) near8 key near3 verif\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:37
S75	0	"key verification" near4 periodic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:38
S76	1	"key verification" same (periodic\$3 or interval) same (compar\$3 or match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 11:39
S77	0	interval same key\$1verification same compare	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:45
S78	0	interval same key\$1verification same (compar\$3 or match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 13:46
S79	7	interval same (key near3 verification) same (compar\$3 or match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 14:18

EAST Search History

S80	6	("5224160" "5530757" "5940513"). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 15:58
S81	5	periodically adj hash\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 15:10
S82	77	periodically near3 hash\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 15:38
S83	3	periodically near3 hash\$3 same (verif\$3 or integrity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 15:39
S84	4	recursiv\$4 near3 hash\$3 same (verif\$3 or integrity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 15:43
S85	7	(repeated\$4) near3 hash\$3 same (verif\$3 or integrity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 15:44
S86	8	(gererat\$3 or produc\$3) near5 ((next or second or new) adj hash\$3) same (verif\$3 or integrity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 15:51
S87	10	(iterativ\$3) near5 hash\$3 same (verif\$3 or integrity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 15:51
S88	697	(key adj verification) or (verifying adj key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 16:29
S89	18	"time varying key"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 17:31

EAST Search History

S90	119	packet adj verification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 17:32
S91	0	packet adj verification and (periodic near5 hash\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 17:32
S92	0	packet adj verification and (key near hash\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 17:33
S93	2	packet adj verification and (key near2 hash\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 18:35
S94	1	(periodically or repeatedly or iteratively or continuously) same ((generat\$3 or produc\$3 or perform\$3) near2 (hash\$3 near2 key)) same (compar\$3 or match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 18:38
S95	31	(periodically or repeatedly or iteratively or continuously) same ((generat\$3 or produc\$3 or perform\$3) near2 (hash\$3)) same (compar\$3 or match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/25 18:38
S96	0	hash\$4 same (repeat\$4 or continious\$3 or periodic\$3 or interval) same (compar\$3 or match\$3) same (sored)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:31
S97	238	hash\$4 same (repeat\$4 or continious\$3 or periodic\$3 or interval) same (compar\$3 or match\$3) same (stored)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:34
S98	1	713/168.ccls. and hash\$4 same (repeat\$4 or continious\$3 or periodic\$3 or interval) same (compar\$3 or match\$3) same (stored)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:32
S99	7	hash\$4 near9 (repeat\$4 or continious\$3 or periodic\$3 or interval) near9 (compar\$3 or match\$3) near9 (stored)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 14:59

EAST Search History

S10 0	29	((second adj hash\$3) or (new adj hash\$3) or (re\$1hash)) near9 (compar\$3 or match\$3) near9 (stored)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:13
S10 1	0	((second adj hash\$3) or (new adj hash\$3) or (re\$1hash)) near9 (compar\$3 or match\$3) near9 (stored near4 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/29 15:13
S10 2	6	((("5224160") or ("5530757") or ("5940513")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 07:42
S10 3	2	("6661810").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/09 07:47
S10 4	83	((time or clock) near4 skew) same (verif\$5 or authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 07:49
S10 5	24	((time or clock) near4 skew) near8 (verif\$5 or authenticat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 08:23
S10 6	0	((time or clock) near4 skew) near8 (packet near2 (verif\$5 or authenticat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 08:23
S10 7	0	((time or clock) near4 skew) same (packet near2 (verif\$5 or authenticat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 08:24
S10 9	0	((time or clock) near4 skew) same (packet near8 (verif\$5 or authenticat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 08:24
S11 0	48	((time or clock) near4 skew) and (packet near8 (verif\$5 or authenticat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 08:24

EAST Search History

S11 2	2	((time or clock) near2 differenc\$3) same (packet near3 verif\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:20
S11 5	98	(packet near3 verif\$5) and ((time or clock) near2 differenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:32
S11 6	4	(packet near3 verif\$5) and ((time or clock) near2 differenc\$3) same ((compar\$3 or match\$3) near3 (content or data or image or item))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:44
S11 7	21	713/168.ccls. and ((compar\$4 or match\$3) near2 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:55
S11 8	0	("digital signature" with ((time or clock) near2 skew or dference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:56
S11 9	0	("digital signature" same ((time or clock) near2 skew or dference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 09:56
S12 0	13	(signature same ((time or clock) near2 skew or dference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 10:00
S12 1	28	(integrity with ((time or clock) near2 skew or dference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 10:00
S12 2	287	380/203.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/01 15:06
S12 3	142	380/36.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/01 15:08

EAST Search History

S12 4	355	380/43.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/01 15:06
S12 5	761	380/44.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/01 15:12
S12 6	770	hash\$4 near8 (identifier or key or "ID" or "serial numbr" or "device name") near8 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/01 15:13
S12 7	772	hash\$4 near8 (identifier or key or "ID" or "serial numbr" or "device name") near8 (time or ti)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/01 15:13
S13 0	720	"user comparison"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/06 09:41
S13 4	400	(user adj (verification or comparison)) same (image or acho or beep\$4 or audio or video or (audio\$1video))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/06 09:59
S13 5	2	Tactile Braille device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/07 10:25
S13 7	4	Tactile same display same Braille same device same mobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/07 10:31
S13 8	0	Tactile same display same (Braille pattern) same device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/07 10:33
S13 9	2	Tactile same display same (Braille pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/07 10:36

EAST Search History

S14 0	51	time vary\$4 audio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/07 10:54
S14 1	19	time vary\$4 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/07 10:55
S14 2	0	time vary\$4 key same (audio same video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/07 10:55
S14 3	1	time vary\$4 key same (audio)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/07 10:55
S14 4	5	time vary\$4 key and (audio same video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/07 16:52
S14 5	0	time vary\$4 key and ((time vary\$) (data or content)) same (audio same video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/07 12:47
S14 6	1	time vary\$4 key and ((time vary\$) (data or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/07 12:47
S14 7	1	vary\$4 key and ((time vary\$) (data or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/07 12:48
S14 8	2	vary\$4 key and ((vary\$) (data or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/07 12:48
S15 0	1	((time vary\$) (data or content or audio or video or image)) and (user verification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/07 12:52

EAST Search History

S15 1	8	proximity authentication	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/07 12:52
S15 2	28	proximity verification	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/07 12:55
S15 3	294	proximity same verification and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/07 12:56